

## List of Vaccine Names, Best ASIIS Selection and CPT/CVX Codes



This list matches the vaccine name or codes in Arizona State Immunization Information System (ASIIS) with the brand name or other common names of the vaccines you use most often.

Vaccine Trade Name or Common Name	Best ASIIS Selection	Age (Range)	Dose	Route	Manufacturer/ NDC Number	CPT Code	CVX Code
<b>Combination Vaccines</b>							
Pediarix (VFC)	DTAP-Hep B-IPV	Birth - 6 years	0.5 ml	IM	GlaxoSmithKline – SKB NDC: 58160-0811-52	90723	110
Pentacel (VFC)	DTaP-Hib-IPV	Birth - 4 years	0.5 ml	IM	Sanofi Pasteur – PMC NDC: 49281-0510-05	90698	120
Kinrix (VFC)	DTaP-IPV	4 - 6 years	0.5 ml	IM	GlaxoSmithKline – SKB NDC: 58160-0812-11 (1 dose vial) NDC: 58160-0812-52 (1 dose T-L syringe)	90696	130
ProQuad (VFC)	MMRV	12 months - 12 years	0.5 ml	SC	Merck- MSD NDC: 00006-4171-00	90710	94
Twinrix (VFA)	HepA/HepB	18 years & older	1.0 ml	IM	GlaxoSmithKline – SKB NDC: 58160-0815-52 (1 dose T-L syringes. No needle)	90636	104
MenHibrix (VFC)	Meningococcal C/Y-HIB PRP	6 weeks - 18 months	0.5 ml	IM	GlaxoSmithKline – SKB NDC: 58160-0801-11	90644	148

Complete List of Vaccine Names and CPT/CVX Codes

Vaccine Trade Name or Common Name	Best ASIIS Selection	Age (Range)	Dose	Route	Manufacturer/ NDC Number	CPT Code	CVX Code
<b>Diphtheria, Tetanus and Pertussis</b>							
Diphtheria and tetanus toxoids adsorbed	DT (Ped)	6 weeks - 6 years	0.5 ml	IM	Sanofi Pasteur – PMC NDC: 49281-0225-10	90702	28
Daptacel (VFC)	DTaP	6 weeks - 6 years	0.5 ml	IM	Sanofi Pasteur – PMC NDC: 49281-0286-10	90700	106
Infanrix (VFC)	DTaP	6 weeks - 6 years	0.5 ml	IM	GlaxoSmithKline – SKB NDC:58160-0810-11 (1 dose vials) NDC: 58160-0810-52 (1 dose T-L syringes. No needle)		20
Tenivac (VFC/VFA) Tetanus and diphtheria toxoids adsorbed	Td (adult), adsorbed	7 years & older	0.5 ml	IM	Sanofi Pasteur – PMC NDC: 49281-0215-10 (1 dose vial) NDC: 49281-0215-15 (1 dose syringe)	90714	113
Boostrix (VFC/VFA) Tetanus Diphtheria & Acellular Pertussis	Tdap	10 years & older	0.5 ml	IM	GlaxoSmithKline – SKB NDC:58160-0842-11 (1 dose vial) NDC: 58160-0842-52 (1 dose syringe, no needle)	90715	115
Adacel (VFC/VFA) Tetanus Diphtheria and Acellular Pertussis	Tdap	10 - 64 years	0.5 ml	IM	Sanofi Pasteur – PMC NDC: 49281-0400-10 (1 dose vial) NDC: 49281-0400-15 (1 dose BD Luer Lock Syringe)		
DTaP, 5 Pertussis Antigen	DTaP, 5 Pertussis Antigen					90700	106
Whenever DTaP was given, even if the brand name is unknown	DTaP, unspecified formulation					90700	20
Tetanus and diphtheria toxoids adsorbed	Td (adult), adsorbed	7 years & older				90714	09
Diphtheria, tetanus toxoids, & whole cell pertussis vaccine (will be from historical records)	DTP DTP - unspecified					90701	01

\* DTAP: Either CVX code (20 or 106) is acceptable in data exchange. In regards to inventory reporting, DTaP (CVX-20) is the default vaccine type, if no lot number is linked to the vaccine type, it will show as DTaP, 5 Pertussis Antigen (CVXC-106).

Complete List of Vaccine Names and CPT/CVX Codes

Vaccine Trade Name or Common Name	Best ASIS Selection	Age (Range)	Dose	Route	Manufacturer/ NDC Number	CPT Code	CVX Code
<b>Hepatitis A</b>							
Havrix (VFC) (2 doses for pediatric/adolescent)	Hep A, ped/adol, 2 dose	12 months - 18 years	0.5 ml (720 EL.U)	IM	GlaxoSmithKline – SKB NDC: 58160-0825-11 (1 dose vial) NDC: 58160-0825-52 (1 dose syringes. No needle)	90633	83
Vaqta (VFC) (2 doses for pediatric/adolescents)	Hep A, ped/adol, 2 dose	12 months - 18 years	0.5 ml (25 U)	IM	Merck- MSD NDC: 00006-4831-41 (1 dose vial) NDC: 00006-4095-02 (1 dose syringe)		
Havrix (3 doses for pediatric/adolescent)	Hep A, ped/adol, 3 dose	12 months - 18 years	0.5 ml (360 EL.U)	IM	GlaxoSmithKline – SKB	90634	84
Vaqta (VFA) (2 doses for adults)	Hep A, adult	19 years & older	1.0 ml (50u)	IM	Merck- MSD NDC: 00006-4841-41 (1 dose vial) NDC: 00006-4096-02 (1 dose prefilled syringe)	90632	52
Havrix (VFA) (2 doses for adults)	Hep A, adult	19 years & older	1.0 ml (1440 EL.U)	IM	GlaxoSmithKline – SKB NDC: 58160-0826-11 (1 dose vial) NDC: 58160-0826-52 (1 dose syringes. No needle)		
<b>Hepatitis B</b>							
Engerix-B Ped/Adol (VFC/VFA) (3 dose schedule)	Hep B - Ped/Adol - presv. free	Birth - 19 years	0.5 ml 10µg	IM	GlaxoSmithKline – SKB NDC: 58160-0820-11 (1 dose vial) NDC: 58160-0820-52 (1 dose T-L syringe, no needle)	90744	08
Recombivax HB (VFC/VFA) Ped/Adol	Hep B - Ped/Adol - presv. free	Birth - 19 years	0.5 ml 10µg	IM	Merck- MSD NDC: 00006-4981-00 (1 dose vial) NDC: 00006-4093-02 (1 dose syringes)		
Recombivax - Dialysis (3 dose schedule)	Hepatitis B - Dialysis	18 years & older	1.0ml 10µg	IM	Merck - MSD NDC: 00006-4995-41 (1 dose vial) NDC: 00006-4093-02 (1 dose syringe)		
Recombivax HB	Hep B, 2 Adol/Adult	11-15 years	1.0 ml 10µg	IM	Merck- MSD NDC: 00006-4995-41 (1 dose vial) NDC: 00006-4094-02 (1 dose syringe)	90743	43

Complete List of Vaccine Names and CPT/CVX Codes

Vaccine Trade Name or Common Name	Best ASIS Selection	Age (Range)	Dose	Route	Manufacturer/ NDC Number	CPT Code	CVX Code
<b>Hepatitis B - Continued</b>							
Engerix-B (VFA) for adults	Hep B, adult	20 years & older	1.0 ml 20µg	IM	GlaxoSmithKline – SKB NDC: 58160-0821-11 (1 dose vial) NDC: 58160-0821-52 (1 dose T-L syringe, no needle)	90746	43
Recombivax HB (VFA) for adults		20 years & older	1.0 ml 10µg	IM	Merck- MSD NDC: 00006-4995-41 (1 dose vial) NDC: 00006-4094-02 (1 dose syringe)		
Various dosages depending on specific individual cases, such as high risk or dialysis.	Note: there are various choices available to reflect the specific situation						
<b>Hib</b>							
ActHIB (VFC)	Hib-PRP-T	2 months - 5 years	0.5 ml	IM	Sanofi Pasteur – PMC NDC: 49281-0545-05	90648	48
PedvaxHIB (VFC)	Hib-PRP-OMP	2 months - 5 years	0.5 ml	IM	Merck- MSD NDC: 00006-4897-00	90647	49
Hiberix (VFC) (4 dose)	Hib-PRP-T	6 weeks - 4 years	0.5 ml	IM	GlaxoSmithKline – SKB NDC:58160-0818-11	90648	48
Menhibrax (VFC) (4 dose)	Meningococcal C/Y-HIB PRP	6 weeks - 18 months	0.5 ml	IM	GlaxoSmithKline - SKB NDC: 58160-0801-11	90644	148
OmniHib	Hib-PRP-T					90648	48
HibTITER	Hib (HbOC)					90645	47

Complete List of Vaccine Names and CPT/CVX Codes

Vaccine Trade Name or Common Name	Best ASIS Selection	Age (Range)	Dose	Route	Manufacturer/ NDC Number	CPT Code	CVX Code
<b>Human Papilloma Virus</b>							
Gardasil9 (VFC/VFA)	HPV9	9 - 26 years	0.5 ml	IM	Merck- MSD NDC: 0006-4119-03 (10 pack, 1 dose vial)	90651	165
<b>Immune Globulin Products</b>							
HyperHEP B S/D or HepaGam B (Hepatitis B Immune Globulin)	HBIG (Hepatitis B Immune Globulin)		<i>See pkg insert for dosage and admin recommendations</i>	IM	Talecris Biotherapeutics TAL or Cangene Corp - CNJ	90371	30
GamaSTAN S/D (Immune Globulin) Note: Used for post-exposure prophylaxis for Hep A and MMR exposure	IG (Immune Globulin IM)			IM	Talecris Biotherapeutics - TAL	90281	86
Immune Globulin, intravenous Note: Rarely used for post-exposure prophylaxis	IGIV			IV	Many Manufacturers	90283	87
HyperRAB S/D (Rabies Immune Globulin)	RIG			IM	Talecris Biotherapeutics - TAL	90375	34
Synagis (Respiratory Syncytial Virus Immune Globulin)	RSV-IGIM	Birth - 24 months		IM	MedImmune – MED	90378	93
HyperTET S/D (Tetanus Immune Globulin)	TIG			IM	Talecris Biotherapeutics - TAL	90389	13
VariZIG (Varicella Zoster Immune Globulin) Note: Used for post exposure prophylaxis to Chickenpox	VZIG			IM	Cangene Corporation (Canada) – CNJ	90396	36

Complete List of Vaccine Names and CPT/CVX Codes

Vaccine Trade Name or Common Name	Best ASIS Selection	Age (Range)	Dose	Route	Manufacturer/ NDC Number	CPT Code	CVX Code
<b>Influenza - Reflects the vaccine for the 2016-2017 Flu Season</b>							
Fluzone (VFC/VFA) Quadrivalent 6+ mos (IIV4)	Influenza, injectable, quadrivalent	6 months & older	0.25 ml MDV	IM	Sanofi Pasteur – PMC NDC: 49281-0625-15 (10 dose vial)	90687	158
			0.5 ml MDV			90688	
Fluzone (VFC) Quadrivalent Ped PF 6-35 mos (IIV4)	Influenza, injectable, quadrivalent, preservative free, pediatric	6 - 35 months	0.25 ml PFS	IM	Sanofi Pasteur – PMC NDC: 49281-0516-25 (10 pack, 1 dose syringe)	90685	161
Fluzone (VFC/VFA) Quadrivalent PF 36+ mos (IIV4)	Influenza inj quadrivalent pres free 36+ mos	3 years & older	0.5 ml PFS 0.5 ml SDV	IM	Sanofi Pasteur – PMC NDC: 49281-0416-50 (10 pack, 1 dose syringe) NDC: 49281-0416-10 (10 pack, 1 dose vial)	90686	150
Fluarix (VFC/VFA) Quadrivalent PF 36+ mos (IIV4)	Influenza inj quadrivalent pres free 36+ mos	3 years & older	0.5 ml PFS	IM	GlaxoSmithKline – SKB NDC: 58160-0905-52 (10 pack, 1 dose TipLok syringe)	90686	150
FluLaval (VFC/VFA) Quadrivalent 36+ mos (IIV4)	Influenza inj quadrivalent w/presv. 36+ mos	3 years & older	0.5 ml MDV	IM	GlaxoSmithKline – SKB NDC: 19515-0903-11 (10 dose vial)	90688	158
Flucelvax (VFC) (cclIIV4)	Influenza, injectable, MDCK, preservative free, quadrivalent	4 years & older	0.5 ml PFS	IM	SEQIRUS – SEQ NDC: 70461-0200-01	90661	171
Fluvirin (IIV3)	Influ Inact. 48+ mos, w/Thimerosol	4 years & older	0.5 ml MDV	IM	Novartis Pharmaceutical Corp. – NOV NDC: 70461-0119-10 (10 dose vial)	90656	141
Afluria (IIV3) Preservative Free	Influ Inact 9+yrs pres free	9 years & older	0.5 ml PFS	IM	CSL Biotherapies, INC NDC: 33332-0016-01 (10 dose vial)	90656	140
Afluria (IIV3) Contains Preservative	Influ Inact 9 + yrs w/Thimerosol	9 years & older	0.5 ml MDV	IM	CSL Biotherapies, INC NDC: 33332-0116-10 (10 pack, 1 dose syringe)	90658	141
Flublok (RIV3)	Inf, recombinant (RIV3), inj, 18+ yrs, pres free	18 - 49 years	0.5 ml SDV	IM	Protein Sciences Corp – PSC NDC: 42874-0016-10 (10 pack, 1 dose vials)	90673	155

Complete List of Vaccine Names and CPT/CVX Codes

Vaccine Trade Name or Common Name	Best ASIS Selection	Age (Range)	Dose	Route	Manufacturer/ NDC Number	CPT Code	CVX Code
<b>Japanese Encephalitis</b>							
IXIARO - Japanese Encephalitis	Japanese Encephalitis	2 months & older	0.5 ml	IM	GlaxoSmithKline – SKB NDC: 42515-001-01	90738	134
JE-VAX - Japanese Encephalitis	Japanese Encephalitis	12 months & older		SC	The Research Foundation for Microbial Diseases of Osaka University (BIKEN)	90735	39
<b>Measles, Mumps &amp; Rubella</b>							
MMR II (VFC/VFA) Measles, Mumps & Rubella	MMR	12 months & older	0.5 ml	SC	Merck- MSD NDC: 00006-4681-00	90707	03
ProQuad (VFC)	MMRV	12 months - 12 years	0.5 ml	SC	Merck- MSD NDC: 00006-4171-00	90710	94
<b>Meningococcal</b>							
Menactra Meningococcal (VFC/VFA) (Serogroups A,C,Y,W-135)	Meningococcal (MCV4P)	9 months - 55 years	0.5 ml	IM	Sanofi Pasteur – PMC NDC: 49281-0589-05	90734	114
Menveo Meningococcal (VFC/VFA) (Serogroups A,C,Y,W-135)	Meningococcal (MCV4O)	2 months - 55 years	0.5 ml	IM	GlaxoSmithKline – SKB NDC: 46028-0208-01	90734	136
Bexsero (VFC/VFA) (Meningococcal recombinant protein and outer membrane vesicle vaccine, serogroup B) 2 dose series	Meningococcal B, OMV	10 - 25 years	0.5 ml	IM	GlaxoSmithKline – SKB NDC: 46028-0114-02 (1 pack, 1 dose syringe) NDC: 46028-0114-01 (10 pack, 1 dose syringe)	90620	163
Trumenba (VFC/VFA) (Meningococcal Recombinant Lipoprotein Vaccine, serogroup B) 3 dose series	Meningococcal B, recombinant	10 - 25 years	0.5 ml	IM	Pfizer, INC - PFR NDC: 00005-0100-05 (5 pack) NDC: 00005-0100-10 (10 pack)	90621	162
Menomune A/C/Y/W-135 Meningococcal Polysaccharide vaccine	Meningococcal (MPSV4)	2 years & older	0.5 ml	SC	Sanofi Pasteur – PMC NDC: 49281-489-10 (10 dose vial) NDC: 49281-0489-01 (1 dose vial)	90733	32

Complete List of Vaccine Names and CPT/CVX Codes

Vaccine Trade Name or Common Name	Best ASIIS Selection	Age (Range)	Dose	Route	Manufacturer/ NDC Number	CPT Code	CVX Code
<b>Pneumococcal</b>							
Pprevnar 13 (VFC/VFA) (Pneumococcal Conjugate, 13 valent)	Pneumococcal conjugate PCV 13	6 weeks - 17 years 50 years & older	0.5 ml	IM	Pfizer, INC - PFR NDC: 00005-1971-02	90670	133
Pneumovax 23 (VFC/VFA) (Pneumococcal, polyvalent)	Pneumococcal polysaccharide PPV23	50 years & older 2 years & older with health risks	0.5 ml	SC/IM	Merck- MSD Syringes NDC: 00006-4837-03	90732	33
			0.5 ml	SC/IM	Merck- MSD Vials NDC: 00006-4943-00	90732	33
Pprevnar (Pneumococcal Conjugate, 7 valent) (Note: to be documented for vaccine given before 04/2010)	Pneumococcal(PCV-7)	6 weeks - 9 years	0.5 ml	IM	Wyeth Ayerst – WAL	90669	100
<b>Polio</b>							
Ipol (VFC) Poliovirus vaccine, inactivated	IPV	6 weeks & older	0.5 ml	SC/IM	Sanofi Pasteur – PMC NDC: 49281-0860-10	90713	10
Poliovirus vaccine, live oral historical	OPV					90712	02
<b>Rabies</b>							
Imovax	Rabies		1.0 ml	IM	Sanofi Pasteur – PMC NDC: 49281-250-51	90675	18
RabAvert	Rabies		1.0 ml	IM	GlaxoSmithKline – SKB NDC: 58160-964-12	90675	18
Rabies, ID	Rabies Intradermal		0.1 ml	ID		90676	40
<b>Rotavirus</b>							
RotaTeq (VFC) (3 dose)	Rotavirus, pentavalent RV5	6 - 32 weeks	2.0 ml	Oral	Merck- MSD NDC: 00006-4047-41(10 pack) NDC: 00006-4047-20 (25 pack)	90680	116
Rotarix (VFC) (2 dose)	Rotavirus, monovalent RV1	6 - 24 weeks	1.0 ml	Oral	GlaxoSmithKline – SKB NDC: 58160-0854-52	90681	119



Complete List of Vaccine Names and CPT/CVX Codes

Vaccine Trade Name or Common Name	Best ASIIS Selection	Age (Range)	Dose	Route	Manufacturer/ NDC Number	CPT Code	CVX Code
<b>TB Test</b>							
Purified Protein Derivative (PPD)	PPD Test		0.1 ml	ID	Parkdale Pharmaceuticals – PD	86580	96
QuantiFERON – TB Gold Test (QGT-G)	QuantiFERON – TB Gold Test (QFT-G)		N/A	Blood Draw	N/A	86480	N/A
<b>Typhoid</b>							
Typhoid ViCPs (Typhim Vi)	Typhoid, ViCPs	2 years & older	0.5 ml	IM	Sanofi Pasteur – PMC NDC: 49281-790-20 (Vial, 20 dose) NDC: 49281-790-51 (Syringe without needle)	90691	101
Typhoid, Oral (Vivotif Berna)	Typhoid, oral	6 years & older	4 tabs	Oral	Crucell - CRU	90690	25
Typhoid, parenteral	Typhoid, parenteral					90692	41
<b>Varicella</b>							
Varivax (VFC/VFA) Chickenpox Vaccine	Varicella	1 years & older	0.5 ml	SC	Merck- MSD NDC: 00006-4827-00	90716	21
<b>Yellow Fever</b>							
Yellow Fever (Yf-Vax)	Yellow Fever	9 months & older	0.5 ml	SC	Sanofi Pasteur – PMC NDC: 49281-915-01 (single dose vial) NDC: 49281-915-05 (multi dose vial)	90717	37
<b>Zoster ("Shingles")</b>							
Zostavax (VFA)	Zoster	50 years & older	0.65 ml	SC	Merck- MSD NDC: 00006-4963-41	90736	121

**Notes**

On the Vaccination View/Add Screen: there are two places to look for the appropriate vaccine choice when entering a vaccination date. Always look FIRST at the vaccine names that appear on the screen. ALL routine vaccines will appear. For less common vaccines that you can't find on this list, go to the "select" box at the bottom of the vaccine list, and choose your vaccine from the drop-down list and enter the date administered.

"Unspecified" vaccines should only be used for entering historical vaccines when the specific vaccine type is unknown.

When managing your vaccine inventory in ASIIS: make sure the vaccine types and lot numbers you enter match the vaccine types and lot numbers in the system. If you don't see the correct lot number on your Vaccination Detail screen, you may be entering a different vaccine (i.e., DTaP vs. DTaP-5 pertussis antigen.) Be sure to speak with the person entering your lot numbers if you notice any issues/problems.

PFS = Prefilled Syringe; MDV = Multidose vial; SDV - Single Dose vial; PFMS – Prefilled micro syringe

IM = Intramuscular; SC = Subcutaneous; ID = Intradermal; NAS = Intranasal; IV = Intra venous